



TIVOLY BOX

INNOVATION & TECHNOLOGY
PRODUCT FOCUS



- Design
- Function
- Attractiveness
- Safety

01


TIVOLY BOX

INNOVATION & TECHNOLOGY

Conception 100% TIVOLY

5 Patents and registered designs

Certified by an independent organization



Exclusive TIVOLY design



ELEMENTS
RECOGNIZED
VALUE




- Resistant
- Technical
- Attractive
- Ergonomic
- Différent
- Trendy

TIVOLY BOX

INNOVATION & TECHNOLOGIE

Matériaux résistants aux chocs →

ABS – Polycarbonate – Nylon – Succed all TIVOLY resistance crash test programmes.




Quality →

Certified material and detailed finishing for a high quality perception of tools and set.




Highly resistant & Hinge system →

Innovated and patent axis – passed a 1000 opening and closing test.



Easy opening →

Single patent tab for easy opening (use of one hand)



Safety closing function & anti pinch →

Patented hanger security lock and controlled closing safety feature.



Full anti-theft function →

Patented breakable barre.



Great stability and identification of tools →

Transparent window placed in the active parts of the tools.
Buil in drill gauge function (patented)




Attractive and effective communication →

Large areas of communication on the cap for optimal customer communication

Storage and safety stacking →

The bottom of the box fit into the cap for easy and stable stacking.
Highly resistant hanger succed all TIVOLY hanging test programs.
Design allowing space saving and smart storage.



Design & ergonomics →

New TIVOLY Box design (patented) with ergonomic fonction of participates in the development of technical tools and brand. Smart drills picking and storage

Customizable composition and colors →

TIVOLY Box range is constantly developing.
Different color versions participates a good product segmentation.

Original boxes for exceptional tools.



TZX | FORET HSS FLAM TAILLÉ MEULE CYLINDRIQUE COURT. POINTE EN CROIX.

HSS

FLAM COATED

DIN 338

3xd



135°

N TYPE

h8



Perçage des aciers < 950 N/mm². Vitesse, durée de vie.

Boren van staal < 950 N/mm². Snelheid en lange levensduur.

Gesignt für Stählen < 950 N/mm². Lange Lebensdauer.

AB

Aciers pour traitement thermique 200-700N/mm²

C

Aciers non alliés/fabriqués alliés <950N/mm²

H

Aciers inoxydables austénitiques

E TZX réf : 1145407 0015

3221912016331
19 pcs Ø 1 - 10 mm / 0,5 mm

H 168 x 108 x 42
Poids : 0,540 Kg

G TZX réf : 1145407 0017

3221912016324
25 pcs Ø 1 - 13 mm / 0,5 mm

H 196 x 108 x 58
Poids : 1,080 Kg



CUTINOX 4F | FORET HSCOB TAILLÉ MEULE CYLINDRIQUE COURT. 4 FACES

HSCOB

BRIGHT UNCOATED

DIN 338

3xd



135°

N TYPE

h8



Perçage des aciers inoxydables.

Boren van roestvast staal.

Gesignt für Stählen.

F

Aciers inoxydables ferritiques

G

Aciers inoxydables martensitiques

H

Aciers inoxydables austénitiques

E TBX réf : 11456170015

3221912016317
19 pcs Ø 1 - 10 mm / 0,5 mm

H 168 x 108 x 42
Poids : 0,540 Kg

G TBX réf : 11456170017

3221912016300
25 pcs Ø 1 - 13 mm / 0,5 mm

H 196 x 108 x 58
Poids : 1,080 Kg



TIVOLY Box, a new leverage to raise your sales.